SUBJECT:

Avila Unit 14 Phase 2H PI#2657

DEPARTMENT:

Development Review Division of Development Services Department

SECTION:

Project Review & Processing

BOARD DATE:

February 13, 2024

CONTACT:

Lee Ann Kennedy

RECOMMENDATION:

Accept the plat for recording for Avila Unit 14 Phase 2H, located in Section 26, Township 27, and Range 18. Construction has been completed and has been certified by Clint R. Cuffle, a Florida Professional Engineer, with Water Resource Associates, LLC.

School Concurrency does not apply to this project.


BACKGROUND:

On February 29, 2018, Permission to Construct Prior to Platting was issued for the Avila Unit 14 Phase 2H. Lot corners are in place and placement has been certified by Arthur Merritt, Professional Surveyor and Mapper with Amerritt, Inc. The developer is LLATS, LLC and the engineer is Water Resource Associates, LLC.



4260 West Linebaugh Avenue Tampa, Florida 33618 813-265-3130 phone 813-265-6610 fax www.wraengineering.com

Avila Unit 14 Vicinity Map



ENGINEER OF RECORD CERTIFICATION OF CONSTRUCTION COMPLETION

I, <u>Clint R. Cuffle, P.E., 69139</u>, hereby certify that I am associated with the firm of <u>Water Resource Associates</u>, <u>LLC (WRA)</u>. I certify that construction of the Improvement Facilities at <u>Avila Unit 14 2H Project</u> have been completed in substantial compliance with the current Hillsborough County Regulations and in substantial compliance with the approved plans and specifications. I certify that these Record Plans have recorded/included any design deviations due to field conflicts.

Signed and sealed this 2nd day of January 2024.

(Signature)

Florida Professional Engineer No. 69139

No 69139

ffix Seal

TATE OF

No County agreement, approval or acceptance is implied by this Certification

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION CERTIFIED CORNER RECORD

POC. #

CORNER DESCRIPTION: MONUMENTATION DESCRIPTION (EVIDENCE FOUND OR METHOD TO SET) FOUND P.K. NAIL & DISK Depict corner with STAMPED "LB 6429" NW N 1/4 SECTION # W 1/4 <u>36</u> -E 1/4 HORIZONTAL POSITION INFORMATION (if determined): ___ Longitude <u>82°28</u>'03.670253" 28°05'56.422998" Y(NORTHING-Ft.) 1368988.7290 X(EASTING-Ft.) 505386.2770 Zone 902 S 1/4 _ Scale factor ____0.99996724 of Section 36 Coordinate determination (circle one): Field traverse Twp 27 S , Rge 18 E Horizontal datum (circle one): NAD27 NAD83(1986) (NAD83(1990) other (explain) Tallahassee Base Meridian, HILLSBOROUGH County(s), Florida Accuracy (circle one): 2nd (3rd) other _ FIRE HYDRANT S.W. CORNER OF MASONRY COLUMN MASONRY WALLS & COLUMNS FOUND P.K. NAIL IN ASPHALT NORTHERLY BOUNDARY NORTHERLY BOUNDARY LINE OF SECTION 36 LINE OF SECTION 35 FOUND P.K. NAIL & DISK STAMPED "LB 3913" IN 12" OAK MESTERLY BOUNDARY NOT TO SCALE NORTHWEST CORNER OF SECTION -FOUND P.K. NAIL & DISK STAMPED "LB 6429" NORTHERLY CORNER OF CONCRETE OF CURB INLET Please complete sketch in black ink or type. SURVEYORS CERTIFICATE: I certify the monument and accessories indicated above were field located on _ SEPTEMBER 30, 2010 SEND ORIGINAL TO: Department of Environmental Protection Bureau of Surveying and Mapping 6514 3900 Commonwealth Boulevard PSM NO. OLKERT/INC. 4641 Mail Station 105 Tallahassee, Florida 32399 3501 SOUTH MAIN STREET, SUITE 2

D.E.P. USE ONLY
Processed: 12-15-10 VALE

B.L.M. - I.D. 400200

QUAD - I.D. 3320 SULPHUR SPRINGS

DEP 63-001(16)

FLORIDA

EMBOSSED SEAL OVER SIGNATURE

(352) 372-9594

32601

REV: 02/06/01

PAGE 1 OF 1

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION CERTIFIED CORNER RECORD 090207

CORNER DESCRIPTION: MONUMENTATION DESCRIPTION (EVIDENCE FOUND OR METHOD TO SET) SET NAIL & DISK LB 3913 IN ASPHALT PAVEMENT HORIZONTAL POSITION INFORMATION (If determined): Lotitude __ _____ Longitude ___ \$ 1/4 N. 1/4 corner of Section 35 Twp 27 S. Rge 18 E. Tollohassee Base Meridion, Hillsborough County(s), Florida SET NAIL & DISK
LEI 3913
IN POWER POLE N.W. CORNER OF SECTION 35 CERTIFIED CORNER RECORD #0012705 FOUND NAIL & DISK LB 6152 (1.14' W./0.60' N.) 7 CRID MORTH (MOT TO SCUE) NORTHERLY BOUNDARY UNE OF N.E. 1/4 OF N.W. 1/4 OF SECTION JS.
S89'56'06'E 2816.07' S89'56'01"E 2813.89' 1" FOUND IRON PIPE No IDENTIFICATION FOUND NAIL & DISK LB 6429 TU ON THE SET SET NAIL & DISK LB J91J IN POWER POLE N.E. CORNER OF SECTION 35 -SET NAIL & DISK LB 3913 IN 13" MAPLE TREE N.E. CORNER OF N.E. 1/4 OF -N.W. 1/4 OF SECTION 35. SET NAIL & DISK LB 3913 Please complete sketch in black ink or type. SURVEYORS CERTIFICATE: I certify the monument and accessories indicated above were field located on _ Secretify the monument of the secretify the monument of the secretify at Surreying Controllon Solls Polin River Road: 518/G February 02, 2007 SEND CISCONAL TO: Deportment of Environmental Protection Bureau of Surveying and Mapping 3900 Commonwealth Boulevord Moli Station 105 Tollohassee, Florida 32399 Processed: 2-17-07 YVB 33619 B.LM. - I.D. 540200 QUAD - I.D. 3320 Sulphur Springs EMBOSSED SEAL OVER SIGNATURE