
APPLICATION: PD 26-0660

ZHM HEARING DATE: June 22, 2026

BOCC MEETING DATE: August 11, 2026

CASE REVIEWER: Tania C. Chapela

This application is being continued by the applicant to the July 20, 2026 Zoning Hearing Master Hearing.

Zoning
Administrator
Sign-off:

J. Brian Grady

DSD@hcfl.gov and keep the originals in case you need to submit them later.

If you have any questions or difficulties please contact Rosa Timoteo
timoteoro@hcfl.org

Thank you,

From: Jennifer Malone <jmalone@gardnerbrewer.com>
Sent: Monday, June 1, 2026 2:13 PM
To: Chapela, Tania <ChapelaT@hcfl.gov>
Cc: Tyrek Royal <royalt@plancom.org>; Rome, Ashley <RomeA@hcfl.gov>; Timoteo, Rosa <TimoteoRo@hcfl.gov>; Alex Schaler <aschaler@gardnerbrewer.com>; Madison Brennan <mbrennan@gardnerbrewer.com>
Subject: RZ-PD 26-0660 Continuance Request

You don't often get email from jmalone@gardnerbrewer.com. [Learn why this is important](#)

External email: Use caution when clicking on links, opening attachments or replying to this email.

Tania,

I'm writing to request a continuance of the above referenced rezoning (26-0660) to the July 20, 2026, ZHM. This will allow us and the client more time to continue working with EPC regarding the wetland mitigation on site.

Thank you.

Jennifer Malone, AICP

Planning Director



O: (813) 221-9600 | D: (813) 221-1581
E: jmalone@gardnerbrewer.com
400 N. Ashley Dr., Ste. 1100, Tampa, FL 33602
gardnerbrewer.com

The preceding email message may be confidential or protected by the attorney-client privilege. It is not intended for transmission to, or receipt by, any unauthorized persons. If you have received this message in error, please (i) do not read it, (ii) reply to the sender that you received the message in error, and (iii) erase or destroy the message. Legal advice contained in the preceding message is solely for the benefit of the Gardner Brewer Hudson, P.A. client(s) represented by the Firm in the particular matter that is the subject of this message, and may not be relied upon by any other party.