Variance Application: VAR 25-1452

LUHO Hearing Date:

December 15, 2025

Case Reviewer:

Orlando Borras



Development Services Department

Applicant: YMY Electric LLC Zoning: RSC-6

Address/Location: 405 Morningside Drive, Valrico FL 33594; Folio No(s).: 70082.0000

Request Summary:

The applicant is requesting a variance to reduce the minimum upland requirements for the use of septic as stated in the Land Development Code, Section 6.01.06 – Minimum Lot Sizes by Available Utilities on two lots.

Requested Variances:			
LDC Section:	LDC Requirement:	Variance:	Result:
6.01.06.3	A minimum lot size of one-half acre of upland is required for the use of a septic system.	0.27-acre (Lot 1); 0.28-acre (Lot 2)	0.33 acre of upland on Lot 1 and .32 of upland in Lot 2 for the use of a septic system

The existing home on the subject folio was demolished under permit HC-BDE-25-0007201. The applicant proposes to subdivide the subject parcel into two lots to develop two single family homes, one on each lot.
nomes, one on each lot.

len Marshell

Zoning Administrator Sign Off:

Colleen Marshall Mon Dec 1 2025 12:32:4

DISCLAIMER:

The variance(s) listed above is based on the information provided in the application by the applicant. Additional variances may be needed after the site has applied for development permits. The granting of these variances does not obviate the applicant or property owner from attaining all additional required approvals including but not limited to: subdivision or site development approvals and building permit approvals.

APPLICATION NUMBER:	VAR 25-1452	
LUHO HEARING DATE:	December 15, 2025	Case Reviewer: Orlando Borras
SURVEY/SITE PLAN		
-		
		(See attached)
		(See attached)

Received BOUNDARY S. TOPOGRAPHIC SURVEY SECTION 25, TOWNSHIP 29S, RANGE 20E. HILLSBOROUGH COUNTY

Developn PROPERT SAPERISCES VALRICO, FL 33594

DESCRIPTION:
TRACT BEGINNING 368,00 FEET WEST AND
220,00 FEET SOUTH OF THE NE CORNER
OF THE SW 174 OF THE NE 1/4 OF SECTION
25, TOWNSHIP 28 SOUTH, RANGE 20 EAST,
HILLSBOROUGH COUNTY, ELORIDA, AND
RUN SOUTH, A DISTANCE OF 180,00 FEET;
THENCE EAST, A DISTANCE OF 167,80
FEET; THENCE NORTH, A DISTANCE OF
167,90 FEET TO THE POINT OF
BEGINNING. BEGINNING.

FLOOD ZONE INFORMATION:
COMMUNITY: HILLSBOROUGH COUNTY 120112
MAP/PANEL NO. 12057C0392H

SUFFIX: H FIRM DATE: 08/28/2008

FLOOD ZONE: X

THERE MAY BE LEGAL RESTRICTIONS ON THERE MAY BE LEGAL RESTRICTIONS ON THE SUBJECT PROPERTY THAT ARE NOT SHOWN ON THE MAP OF SURVEY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF HILLSBOROUGH COUNTY, OR THE RECORDS OF ANY OTHER PUBLIC AND PRIVATE ENTITIES AS THEIR JURISDICTIONS MAY APPEAR.

THE MAP OF SURVEY IS INTENDED TO BE DISPLAYED AT THE STATED GRAPHIC SCALE IN ENGLISH UNITS OF MEASUREMENT, ATTENTION IS BROUGHT TO THE FACT THAT SAID DRAWING MAY BE AUTTORN IN STATE OF THE SAID DRAWING MAY BE AUTTORN IN SCALE REPRODUCTION PROCESS

THIS SURVEY WAS CONDUCTED FOR THE PURPOSE OF A TOPOGRAPHIC SURVEY ONLY AND IS NOT INTENDED TO DELINEATE THE REGULATORY JURISDICTION OF ANY FEDERAL, STATE, REGIONAL OR LOCAL AGENCY BOARD, COMMISSION OR OTHER ENTITY.

THE ELEVATIONS OF WELL-IDENTIFIED THE ELEVATIONS OF WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MEASURED TO AN ESTIMATED VERTICAL. POSITIONAL ACCURACY OF 1/10 FOOT FOR NATURAL GROUND SURFACES AND 1/100 FOOT FOR HARDSCAPE SURFACES, INCLUDING PAVEMENTS, CURBS AND OTHER MAN-MADE FEATURES AS MAY EXIST.

BENCH MARK: GPS-NAIL ELEVATION: 72.17 FEET (NAVD88)

INACCESSIBLE CORNERS WERE CALCULATED USING BOUNDARY PRINCIPLES AND PRACTICES, PHYSICAL MARKERS WILL BE PLACED AT OWNER'S REQUEST AT THE EXACT LOCATION OF EACH PROPERTY CORNER, UNLESS FIELD CONDITIONS ARE NOT FAVORABLE, IN WHICH CASE, THE OWNER SHOULD GUARANTEE ACCESS TO THE CORNERS OR OFFSET MONUMENTATION WILL BE SET. INACCESSIBLE

LEGAL DESCRIPTION WAS FURNISHED BY THE CLIENT.

WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MEASURED TO AN ESTIMATED HORIZONTAL POSITIONAL ACCURACY OF 1/10 FOOT UNLESS OTHERWISE SHOWN.

BEARINGS AS SHOWN HEREON ARE BASED UPON AN ASSUMED VALUE OF N00°09'59"E FOR THE EAST RIGHT OF WAY LINE OF MORNINGSIDE DR AS DEPICTED ON THE MAP OF SURVEY.

LEGAL DESCRIPTION SUBJECT TO ANY DEDICATIONS LIMITATIONS RESERVATIONS RESTRICTIONS RECORDED EASEMENTS.

THE SURVEYOR MAKES NO REPRESENTATION AS TO OWNERSHIP, POSSESSION OR OCCUPATION OF THE SUBJECT PROPERTY BY ANY ENTITY OR

SUBSURFACE IMPROVEMENTS AND/OR ENCROACHMENTS WITHIN, UPON, ACROSS, ABUTTING OR ADJACENT TO THE SUBJECT PROPERTY WERE NOT LOCATED AND ARE NOT SHOWN.

PHYSICAL COPIES ARE NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER. ELECTRONIC FILES ARE VALID ONLY WITH THE DIGITAL HIRD-PARTY APPROVED SIGNATURE AND SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER, ADDITIONS AND DELETIONS TO THIS MAP OF SURVEY BY OTHER THAN THE SIGNING PARTY ARE PROMIBITED. THE SIGNING PARTY ARE PROHIBITED WITHOUT THE WRITTEN CONSENT OF THE SIGNING PARTY.

THIS MAP OF SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF THE ENTITIES NAMED HEREIN AND THE CERTIFICATION DOES NOT EXTEND TO ANY UNNAMED PARTY.

NO TREES FOUND 20' AWAY FROM PROPERTY UNLESS DEPICTED ON THIS

CERTIFY TO:

COUSINS FLIPPING LLC YORDANI ALLEGUE

SURVEYOR'S CERTIFICATION:

I HEREBY CERTIFY: THAT THIS "TOPOGRAPHIC SURVEY" AND THE MAP OF SURVEY RESULTING THERE FROM WAS PERFORMED UNDER MY DIRECTION AND IS TRUE AND CORRECT TO THE BEST OF MY TRUE AND CORRECT TO THE BEST OF MY KNOWLEGGE AND BELIEF AND FURTHER, THAT SAID "TOPOGRAPHIC SURVEY" MEETS THE INTENT OF THE "MINIMUM TECHNICAL STANDARDS FOR LAND SURVEYING IN THE STATE OF FLORIDA" PURSUANT TO RULE 50-17 OF THE FLORIDA ADMINISTRATIVE CODE AND ITS MPLEMENTING RULE, CHAPTER 472.027 OF THE FLORIDA STATUTES.

LEGEND

- ¢ CENTER LINE 0 PROPERTY CORNER
- PROPERTY LINE
- * PALM & TRUNK TREE * CANOPY & TRUNK TREE
- * PINE & TRUNK TREE
- (S) MANHOLE (SANITARY SEWER)
- GROUND ELEVATION ×16.23 PAVEMENT ELEVATION
- യ UTILITY POLE W METER (WATER)
- FOUND OR SET MONUMENT •

NE CORNER OF THE

SW 1/4 OF THE NE 1/4 OF SEC. 25, TWS 29 S, RNG 20 E


GUY WIRE

N89°27'47"E (M) 368.15' (C) 368.00' (R)





BC=BLOCK CORNER (C)=CALCULATED (M)=MFASURED (R)=RECORD (P)=PRORATED TYP = TYPICAL P.B. = PLAT BOOK P.G. = PAGE F.I.R. = FOUND IRON ROD F.I.P = FOUND IRON PIPE F.N&D = FOUND NAIL & DISK S I R = SET IRON ROD I.D = IDENTIFICATION F/C = FENCE CORNER B.M. = BENCHMARK



6528 U.S. 301 UNIT 106 RIVERVIEW, FL. 33578 L.B. 8195 - L.S. 6919 contact@gpsflorida.net



PROFESSIONAL SURVEYOR AND MAPPER PHONE. (813) 423-3463 FAX: (813) 398-0111 www.gpsflorida.net ORIGINAL FIELD DATE REVISIONS: 04/30/2025 JOB NO. 25-9492 SHEET DRAWN __C.A.R. 1/1

FOLIO # 070145-1280

LINK FENCE

Received I HEREY CRETHY. THAT THA TOPOGRAPHIC SURVEY RESULTING THERE TROM WAS PERFORMED INDER WY PRECUTING THERE TON WAS PERFORMED INDER WY PROMISED TO THE BEST OF WY KNOWLEDGE AND BELLE AND FURTHER. THAT SAM TOPOGRAPHIC SINGE, WEETS THE INTENT OF THE WINNIMM TECHNICAL STANDARDS PLASUANT TO RULE 5-17 OF THE FLORIDA PURSUANT TO RULE 5-17 OF THE FLORIDA RULE, CHAPTER 472-277 OF THE FLORIDA STATUTES. NACCESSIBLE CORNERS WERE CALCULUTED USING BOUNDARY PRINCIPLES. APPRINCIAL MARKERS WILL BE PLACED AT OWNED SEQUEST AT THE EXACT LOCATION OF EACH PROPERTY CORNER, UNLESS FIELD CONDITIONA ARE NOT FAVORABLE. IN WHICH CASE. THE OWNED SHOULD GUARANTER ACCESS TO THE CORNERS SHOULD MOUNDARY AND WILL BE SET. WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MEASURED TO AN ESTIMATED HORIZONTAL POSITIONAL ACCURACY OF 1/10 FOOT UNLESS OTHERWISE SHOWN. BEARINGS AS SHOWN HEREON ARE BASED UPON AN ASSUMED VALUE OF NOUS95STE FOR THE EAST RIGHT OF WAY LINE OF MORNINGSIDE DR AS DEPICTED ON THE MAP OF SURVEY. ELECTRONC FILES REE VALID ONLY WITH THE DOLLARLY APPROVED SIGNAL THE ADDITION A PROPERSED SIGNALINE AND SEAL OF A FLORIDA LICENSED SIGNALINE AND MAPPERS AND DELENDES TO THEN MAP OF SIGNAL AND THE SIGNAL PARTY OF THE SIGNAL PARTY. THE SURVEYOR MAKES NO REPRESENTATION AS TO OWNERSHIP, POSSESSION OR OCCUPATION OF THE SUBJECT PROPERTY BY ANY ENTITY OR INDIVIDUAL. THIS MAP OF SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF THE ENTITIES NAMED HEREIN AND THE CERTIFICATION DOES NOT EXTEND TO ANY UNNAMED PARTY. 09-24-202 LEGAL DESCRIPTION SUBJECT TO ANY DEDICATIONS, LIMITATIONS, RESTRICTIONS, RESERVATIONS OR PROPERTY Ы DESCRIPTION WAS FURNISHED BY PHYSICAL COPIES ARE NOT VALID WITHOUT SIGNATURE AND ORIGINAL RAISED SEAL OF FLORIDA LICENSED SURVEYOR AND MAPF Development ENUCKUACHMENTS WITHIN, UPON, ABUTING OR ADJACENT TO THE PROPERTY WERE NOT LOCATED AND # SHOWN. FROM SURVEYOR AND IMPROVEMENTS NO TREES FOUND 20' AWAY UNLESS DEPICTED ON THIS MAP. COUSINS FLIPPING LLC YORDANI ALLEGUE SURVEYOR'S CERTIFICATION: RECORDED EASEMENTS. SUBSURFACE ENCROACHMENTS CERTIFY TO: LEGAL CLIENT. THE SOUTH 17 OF FOLLOWING BESCRIPTION TRACT BEGINNING 380.00 FETT WEST AND 20.00 FEET SOUTH OF THE NE CORNER OF THE SWI 14 OF THE NE H OF SECTION S. TOWNSHIP 29 SOUTH, RANGE 20 EAST, HILESPORCUGH COUNTY, FLORIDA AND RUN SOUTH A DISTANCE OF 180.00 FEET. THENCE EAST, A DISTANCE OF 187.30 FEET. THENCE NORTH A DISTANCE OF 187.30 FEET. THENCE A DISTANCE OF 187.30 FEET. THENCE WEST BEGINNING. TRECT EEGENWING 988 DO FEET WEST AND 220 00 FEET SOUTH OF THE NE COPRIGE OF THE SWI VIA OF THE NET A OF SECTION 25.1 TOWNSHIP 28 SOUTH AND EXECUTION 25.1 TOWNSHIP 28 SOUTH AND EXECUTION 25.1 TOWNSHIP 28.5 SOUTH AND RUN SOUTH. A DISTANCE OF 180.00 FEET. THENCE NORTH A DISTANCE OF 180.00 FEET. THENCE WEST. A DISTANCE OF 180.00 FEET. THENCE WEST. A DISTANCE OF 180.00 FEET. THENCE WEST. M THE ELEVATIONS OF WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MASSURED TO AN ESTIMATED VERTICAL POSITIONAL ACCURACY OF 1/10 FOOT FOR NATURAL GROUND THERE MAY BE LEGAL RESTRETIONS ON THE SUBJECT PROPERTY THAT ARE NOT SHOWN ON THE MAP OF SUBJECT PROPERTY THE PUBLIC AND STATE OF HILLSBOROUGH COUNTY, OR THE RECORDS OF ANY OTHER PUBLIC AND PRIVATE THE MAP OF SURVEY IS INTENDED TO BE DISPLAYED AT THE STATED GRAPHIC SCALE IN ENGLISH UNITS OF MEASUREMENT, ATTENTION IS BROUGHT TO THE FACT THAT SAID DRAWING MAY BE ALTERED IN SCALE BY THE REPRODUCTION PROCESS. OF A TOPOGRAPHIC SURVEY ONLY AND IS NOT INTENDED TO DELINEATE THE REGULATORY UNISDICTION OF ANY FEDERAL, STATE, REGIONAL OR LOCAL AGENCY BOARD, COMMISSION OR OTHER SURFACES AND 1/100 FOOT FOR HARDSCAPE SURFACES, INCLUDING PAVEMENTS, CURBS AND OTHER MAN-MADE FEATURES AS MAY EXIST. BENCH MARK: GPS - NAIL ELEVATION: 72.17 FEET (NAVD88) THIS SURVEY WAS CONDUCTED FOR THE PURPOSE ų ENTITIES AS THEIR JURISDICTIONS MAY APPEAR. FLOOD ZONE INFORMATION: COMMUNITY: HILLSBOROUGH COUNTY - 120112 PROPOSED PARCEL "B" DESCRIPTION: 405 MORNINGSIDE DR, VALRICO, FL 33594 PROPERTY ADDRESS: SHEET 7 MAP/PANEL NO. 12057C0392H SUFFIX: H FIRM DATE: 08/28/2008 þ n CAR FLOOD ZONE: X JOB NO. DRAWN 7 SECTION 25, TOWNSHIP 29S, RANGE 20E. HILLSBOROUGH COUNTY 04/30/2025 ORIGINAL FIELD DATE REVISIONS: MANHOLE (SANITARY SEWER) FOUND OR SET MONUMENT **ABBREVIATIONS** F.N&D = FOUND NAIL & DISK CANOPY & TRUNK TREE F.I.R. = FOUND IRON ROD F.I.P = FOUND IRON PIPE PAVEMENT ELEVATION I.D = IDENTIFICATION F/C = FENCE CORNER B.M. = BENCHMARK PALM & TRUNK TREE PINE & TRUNK TREE GROUND ELEVATION PROPERTY CORNER S.I.R = SET IRON ROD PROFESSIONAL SURVEYOR AND MAPPER PHONE: (813) 423-3483 FAX: (813) 398-0111 www.gpsflorida.net BC=BLOCK CORNER PROPERTY LINE METER (WATER) (C)=CALCULATED P.B. = PLAT BOOK CATCH BASIN (M)=MEASURED (P)=PRORATED CENTER LINE UTILITY POLE TYP.= TYPICAL (R)=RECORD P.G. = PAGE GUY WIRE LEGEND A/C UNIT 0 •9. V_× **₽**₩₩® ⊞ д ≥ AC 0 F.I.P Ø 1/2" (NO I.D.) O/S / 0.30" S - 3.79" E 0 GLOBAL PROJECTS SURVEYING PINE Ø =10" S.I.R Ø 5/8" (LB8195) EOFIO # 010149-1580 200.15.3e.M (M) 30.00' (C) F.I.R Ø 1/2" (NO I.D.) 0000-080070 LOLIO# 160.00' (C) N00.15.39.E (M) 4 070081-5000 빌 OAK 4' HIGH CHAIN LINK FENCE # OITO # 4' HIGH CHAIN LINK FENCE SCALE: 1" = 30" .*. .*. ·9. ·6; M contact@gpsflorida.net RIVERVIEW, FL. 33578 L.B. 8195 - L.S. 6919 6528 U.S. 301 UNIT 106 ****** ·5/4 ·0. .0. 14. ACRES A PINE ₩Ø=9" 9 AREA = ±14,215 SQ FT ±0.32, FOLIO # 070082-0000 REMAINDER OF FOLIO # 070082-0000 VACANT LOT S89°24'35"W 157.92' (C) 757.80' (R) FOLIO # 070145-1280 ىرى_ك 89°24'35"E إ57.99' PART OF £15/x ð <. '\. ./¿× N89°32'10"E (M) 248.00' (M&R) FOLIO# 070080-0000 F.I.P Ø 1/2" (NO I.D.) SURVEY LOCATION MAP (NOT TO SCALE) ·s./~ 4' HIGH CHAIN LINK FENCE MORNING SIDE LOOF F.I.R Ø 1/2" (NO I.D.) МОКИІИС SIDE DK FOLIO # 070081-0000 OAK BASIS OF BEARING (M) 260.69"E (M) PROPOSED SORNER иоо。00.20.E (W) 20 00. (C) SITE HBM #1=72.17' SET NAIL ·50. S.I.R Ø 5/8" (LB8195) *S.L *00 MORNINGSIDE DR PUBLIC RIGHT OF WAY A SPHALT PAVENENT-

Received BOUNDARY S. TOPOGRAPHIC SURVEY SECTION 25, TOWNSHIP 29S, RANGE 20E. HILLSBOROUGH COUNTY

Developn PROPERT SAPERISCES VALRICO, FL 33594

DESCRIPTION:
TRACT BEGINNING 368,00 FEET WEST AND
220,00 FEET SOUTH OF THE NE CORNER
OF THE SW 174 OF THE NE 1/4 OF SECTION
25, TOWNSHIP 28 SOUTH, RANGE 20 EAST,
HILLSBOROUGH COUNTY, ELORIDA, AND
RUN SOUTH, A DISTANCE OF 180,00 FEET;
THENCE EAST, A DISTANCE OF 167,80
FEET; THENCE NORTH, A DISTANCE OF
167,90 FEET TO THE POINT OF
BEGINNING. BEGINNING.

FLOOD ZONE INFORMATION:
COMMUNITY: HILLSBOROUGH COUNTY 120112
MAP/PANEL NO. 12057C0392H

SUFFIX: H FIRM DATE: 08/28/2008

FLOOD ZONE: X

THERE MAY BE LEGAL RESTRICTIONS ON THERE MAY BE LEGAL RESTRICTIONS ON THE SUBJECT PROPERTY THAT ARE NOT SHOWN ON THE MAP OF SURVEY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF HILLSBOROUGH COUNTY, OR THE RECORDS OF ANY OTHER PUBLIC AND PRIVATE ENTITIES AS THEIR JURISDICTIONS MAY APPEAR.

THE MAP OF SURVEY IS INTENDED TO BE DISPLAYED AT THE STATED GRAPHIC SCALE IN ENGLISH UNITS OF MEASUREMENT, ATTENTION IS BROUGHT TO THE FACT THAT SAID DRAWING MAY BE AUTTORN IN STATE OF THE SAID DRAWING MAY BE AUTTORN IN SCALE REPRODUCTION PROCESS

THIS SURVEY WAS CONDUCTED FOR THE PURPOSE OF A TOPOGRAPHIC SURVEY ONLY AND IS NOT INTENDED TO DELINEATE THE REGULATORY JURISDICTION OF ANY FEDERAL, STATE, REGIONAL OR LOCAL AGENCY BOARD, COMMISSION OR OTHER ENTITY.

THE ELEVATIONS OF WELL-IDENTIFIED THE ELEVATIONS OF WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MEASURED TO AN ESTIMATED VERTICAL. POSITIONAL ACCURACY OF 1/10 FOOT FOR NATURAL GROUND SURFACES AND 1/100 FOOT FOR HARDSCAPE SURFACES, INCLUDING PAVEMENTS, CURBS AND OTHER MAN-MADE FEATURES AS MAY EXIST.

BENCH MARK: GPS-NAIL ELEVATION: 72.17 FEET (NAVD88)

INACCESSIBLE CORNERS WERE CALCULATED USING BOUNDARY PRINCIPLES AND PRACTICES, PHYSICAL MARKERS WILL BE PLACED AT OWNER'S REQUEST AT THE EXACT LOCATION OF EACH PROPERTY CORNER, UNLESS FIELD CONDITIONS ARE NOT FAVORABLE, IN WHICH CASE, THE OWNER SHOULD GUARANTEE ACCESS TO THE CORNERS OR OFFSET MONUMENTATION WILL BE SET. INACCESSIBLE

LEGAL DESCRIPTION WAS FURNISHED BY THE CLIENT.

WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MEASURED TO AN ESTIMATED HORIZONTAL POSITIONAL ACCURACY OF 1/10 FOOT UNLESS OTHERWISE SHOWN.

BEARINGS AS SHOWN HEREON ARE BASED UPON AN ASSUMED VALUE OF N00°09'59"E FOR THE EAST RIGHT OF WAY LINE OF MORNINGSIDE DR AS DEPICTED ON THE MAP OF SURVEY.

LEGAL DESCRIPTION SUBJECT TO ANY DEDICATIONS LIMITATIONS RESERVATIONS RESTRICTIONS RECORDED EASEMENTS.

THE SURVEYOR MAKES NO REPRESENTATION AS TO OWNERSHIP, POSSESSION OR OCCUPATION OF THE SUBJECT PROPERTY BY ANY ENTITY OR

SUBSURFACE IMPROVEMENTS AND/OR ENCROACHMENTS WITHIN, UPON, ACROSS, ABUTTING OR ADJACENT TO THE SUBJECT PROPERTY WERE NOT LOCATED AND ARE NOT SHOWN.

PHYSICAL COPIES ARE NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER. ELECTRONIC FILES ARE VALID ONLY WITH THE DIGITAL HIRD-PARTY APPROVED SIGNATURE AND SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER, ADDITIONS AND DELETIONS TO THIS MAP OF SURVEY BY OTHER THAN THE SIGNING PARTY ARE PROMIBITED. THE SIGNING PARTY ARE PROHIBITED WITHOUT THE WRITTEN CONSENT OF THE SIGNING PARTY.

THIS MAP OF SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF THE ENTITIES NAMED HEREIN AND THE CERTIFICATION DOES NOT EXTEND TO ANY UNNAMED PARTY.

NO TREES FOUND 20' AWAY FROM PROPERTY UNLESS DEPICTED ON THIS

CERTIFY TO:

COUSINS FLIPPING LLC YORDANI ALLEGUE

SURVEYOR'S CERTIFICATION:

I HEREBY CERTIFY: THAT THIS "TOPOGRAPHIC SURVEY" AND THE MAP OF SURVEY RESULTING THERE FROM WAS PERFORMED UNDER MY DIRECTION AND IS TRUE AND CORRECT TO THE BEST OF MY TRUE AND CORRECT TO THE BEST OF MY KNOWLEGGE AND BELIEF AND FURTHER, THAT SAID "TOPOGRAPHIC SURVEY" MEETS THE INTENT OF THE "MINIMUM TECHNICAL STANDARDS FOR LAND SURVEYING IN THE STATE OF FLORIDA" PURSUANT TO RULE 50-17 OF THE FLORIDA ADMINISTRATIVE CODE AND ITS MPLEMENTING RULE, CHAPTER 472.027 OF THE FLORIDA STATUTES.

LEGEND

- ¢ CENTER LINE 0 PROPERTY CORNER
- PROPERTY LINE
- * PALM & TRUNK TREE * CANOPY & TRUNK TREE
- * PINE & TRUNK TREE
- (S) MANHOLE (SANITARY SEWER)
- GROUND ELEVATION ×16.23 PAVEMENT ELEVATION
- യ UTILITY POLE W METER (WATER)
- FOUND OR SET MONUMENT •

NE CORNER OF THE

SW 1/4 OF THE NE 1/4 OF SEC. 25, TWS 29 S, RNG 20 E


GUY WIRE

N89°27'47"E (M) 368.15' (C) 368.00' (R)





BC=BLOCK CORNER (C)=CALCULATED (M)=MFASURED (R)=RECORD (P)=PRORATED TYP = TYPICAL P.B. = PLAT BOOK P.G. = PAGE F.I.R. = FOUND IRON ROD F.I.P = FOUND IRON PIPE F.N&D = FOUND NAIL & DISK S I R = SET IRON ROD I.D = IDENTIFICATION F/C = FENCE CORNER B.M. = BENCHMARK



6528 U.S. 301 UNIT 106 RIVERVIEW, FL. 33578 L.B. 8195 - L.S. 6919 contact@gpsflorida.net



PROFESSIONAL SURVEYOR AND MAPPER PHONE. (813) 423-3463 FAX: (813) 398-0111 www.gpsflorida.net ORIGINAL FIELD DATE REVISIONS: 04/30/2025 JOB NO. 25-9492 SHEET DRAWN __C.A.R. 1/1

FOLIO # 070145-1280

LINK FENCE

Received MARKERS WILL BE PLACED AT OWNED PROTUPE.

MARKERS WILL BE PLACED AT OWNED SEQUEST

THE EXACT LOCATION OF EACH PROPERTY

CORNER UNLESS FIELD CONDITION ARE NOT


FANORABLE. IN WHICH CASE THE CONDITION


GUARANITE ACCESS TO THE CORNER SHOULD


MONUMENTATION WILL BE SET. I HEREY CRETHY. THAT THA TOPOGRAPHIC SURVEY RESULTING THERE TROM WAS PERFORMED INDER WY PRECUTING THERE TON WAS PERFORMED INDER WY PROMISED TO THE BEST OF WY KNOWLEDGE AND BELLE AND FURTHER. THAT SAM TOPOGRAPHIC SINGE, WEETS THE INTENT OF THE WINNIMM TECHNICAL STANDARDS PLASUANT TO RULE 5-17 OF THE FLORIDA PURSUANT TO RULE 5-17 OF THE FLORIDA RULE, CHAPTER 472-277 OF THE FLORIDA STATUTES. WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MEASURED TO AN ESTIMATED HORIZONTAL POSITIONAL ACCURACY OF 1/10 FOOT UNLESS OTHERWISE SHOWN. BEARINGS AS SHOWN HEREON ARE BASED UPON AN ASSUMED VALUE OF NOUS95STE FOR THE EAST RIGHT OF WAY LINE OF MORNINGSIDE DR AS DEPICTED ON THE MAP OF SURVEY. ELECTRONC FILES REE VALID ONLY WITH THE DOLLARLY APPROVED SIGNAL THE ADDITION A PROPERSED SIGNALINE AND SEAL OF A FLORIDA LICENSED SIGNALINE AND MAPPERS AND DELENDES TO THEN MAP OF SIGNAL AND THE SIGNAL PARTY OF THE SIGNAL PARTY. THE SURVEYOR MAKES NO REPRESENTATION AS TO OWNERSHIP, POSSESSION OR OCCUPATION OF THE SUBJECT PROPERTY BY ANY ENTITY OR INDIVIDUAL. THIS MAP OF SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF THE ENTITIES NAMED HEREIN AND THE CERTIFICATION DOES NOT EXTEND TO ANY UNNAMED PARTY. 09-24-202 LEGAL DESCRIPTION SUBJECT TO ANY DEDICATIONS, LIMITATIONS, RESTRICTIONS, RESERVATIONS OR PROPERTY DESCRIPTION WAS FURNISHED BY COPIES ARE NOT VALID WITHOUT E AND ORIGINAL RAISED SEAL OF LICENSED SURVEYOR AND MAPF Development ENUCKUACHMENTS WITHIN UPON,
ABUTING OR ADJACENT TO THE
PROPERTY WERE NOT LOCATED AND ,
SHOWN. FROM SURVEYOR AND ARE VALID ONLY IMPROVEMENTS NO TREES FOUND 20' AWAY UNLESS DEPICTED ON THIS MAP. COUSINS FLIPPING LLC YORDANI ALLEGUE SURVEYOR'S CERTIFICATION: RECORDED EASEMENTS. SUBSURFACE ENCROACHMENTS PHYSICAL CO SIGNATURE / FLORIDA LIC CERTIFY TO: LEGAL CLIENT. THE MORTH 1/2 OF FOLLOWING BESCRIPTION
THE AND STAND SOLOGET WEST AND SOLOG
FEET SOUTH OF THE NR CORNER OF THE SWI 1/4 OF
THE NR CORNER OF THE SWI 1/4 OF
THE NR 1/4 OF SECTION S. TOWNSHIP 28 SOUTH,
RANGE 20 EAST, HILESBORGUGH COUNTY, FLORIDA
AND RUN SOUTH A DISTANCE OF 183.00 FEET.
THENCE EAST, A DISTANCE OF 183.00 FEET. THENCE
NORTH A DISTANCE OF 183.00 FEET, THENCE WEST,
BEGINNING. TRECT EEGENWING 988 DO FEET WEST AND 220 00 FEET SOUTH OF THE NE COPRIGE OF THE SWI VIA OF THE NET A OF SECTION 25.1 TOWNSHIP 28 SOUTH AND EXECUTION 25.1 TOWNSHIP 28 SOUTH AND EXECUTION 25.1 TOWNSHIP 28.5 SOUTH AND RUN SOUTH. A DISTANCE OF 180.00 FEET. THENCE NORTH A DISTANCE OF 180.00 FEET. THENCE WEST. A DISTANCE OF 180.00 FEET. THENCE WEST. A DISTANCE OF 180.00 FEET. THENCE WEST. THE ELEVATIONS OF WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MASSURED TO AN ESTIMATED VERTICAL POSITIONAL ACCURACY OF 1/10 FOOT FOR NATURAL GROUND THERE MAY BE LEGAL RESTRETIONS ON THE SUBJECT PROPERTY THAT ARE NOT SHOWN ON THE MAP OF SUBJECT PROPERTY THE PUBLIC AND STATE OF HILLSBOROUGH COUNTY, OR THE RECORDS OF ANY OTHER PUBLIC AND PRIVATE THE MAP OF SURVEY IS INTENDED TO BE DISPLAYED AT THE STATED GRAPHIC SCALE IN ENGLISH UNITS OF MEASUREMENT, ATTENTION IS BROUGHT TO THE FACT THAT SAID DRAWING MAY BE ALTERED IN SCALE BY THE REPRODUCTION PROCESS. OF A TOPOGRAPHIC SURVEY ONLY AND IS NOT INTENDED TO DELINEATE THE REGULATORY UNISDICTION OF ANY FEDERAL, STATE, REGIONAL OR LOCAL AGENCY BOARD, COMMISSION OR OTHER SURFACES AND 1/100 FOOT FOR HARDSCAPE SURFACES, INCLUDING PAVEMENTS, CURBS AND OTHER MAN-MADE FEATURES AS MAY EXIST. BENCH MARK: GPS - NAIL ELEVATION: 69.20 FEET (NAVD88) THIS SURVEY WAS CONDUCTED FOR THE PURPOSE Ы ENTITIES AS THEIR JURISDICTIONS MAY APPEAR. FLOOD ZONE INFORMATION: COMMUNITY: HILLSBOROUGH COUNTY - 120112 Þ PROPOSED PARCEL "A" DESCRIPTION: 405 MORNINGSIDE DR, VALRICO, FL 33594 PROPERTY ADDRESS: SHEET 7 MAP/PANEL NO. 12057C0392H SUFFIX: H FIRM DATE: 08/28/2008 P C.A.R. FLOOD ZONE: X U JOB NO. DRAWN SECTION 25, TOWNSHIP 29S, RANGE 20E. HILLSBOROUGH COUNTY H 04/30/2025 A ORIGINAL FIELD DATE REVISIONS: MANHOLE (SANITARY SEWER) FOUND OR SET MONUMENT **ABBREVIATIONS** F.N&D = FOUND NAIL & DISK CANOPY & TRUNK TREE F.I.R. = FOUND IRON ROD F.I.P = FOUND IRON PIPE PAVEMENT ELEVATION I.D = IDENTIFICATION F/C = FENCE CORNER B.M. = BENCHMARK PALM & TRUNK TREE PINE & TRUNK TREE GROUND ELEVATION PROPERTY CORNER S.I.R = SET IRON ROD PROFESSIONAL SURVEYOR AND MAPPER PHONE: (813) 423-3483 FAX: (813) 398-0111 www.gpsflorida.net BC=BLOCK CORNER PROPERTY LINE METER (WATER) (C)=CALCULATED P.B. = PLAT BOOK CATCH BASIN (M)=MEASURED (P)=PRORATED CENTER LINE UTILITY POLE t TYP.= TYPICAL (R)=RECORD P.G. = PAGE GUY WIRE LEGEND A/C UNIT 0 **₽**₩₩® ▦ д PC 0 ≥ CONCRETE MONUMENT O/S 0.41' S 0.61' E GLOBAL PROJECTS SURVEYING PROPOSED F.I.R Ø 1/2" (NO I.D.) EOFIO # 0.70146-1280 0000-080070 #OITO# 4 63 70.07 (M&R) N00°12'36"E (M) 070081-5000 FOLIO # OAK Ø=18" OAK PINE 10" 4' HIGH CHAIN LINK FENCE SCALE: 1" = 30" ·9; ·0;c× ٠٥;٠ RIVERVIEW, FL. 33578 L.B. 8195 - L.S. 6919 6528 U.S. 301 UNIT 106 157.90' (R) A ·9.c. يري_{ري} : 158.06' (C) راج .5.E ·S. ار جاءً * 3 AREA = ± 14,221 SQ FT. ± 0.33 ACRES S89°24'35"W 157.99' (C) رمن مرکزی REMAINDER OF FOLIO # 070082-0000 6' HIGH WOOD FENCE FOLIO # 070081-5000 þ PART OF FOLIO # 070082-0000 VACANT LOT ,√,° N89°24'35"E 1 ,*5/× 0.4 ,₉5/_{*} .ø. FOLIO # 070080-0000 F.I.P Ø 1/2" (NO I.D.) 89°32'10"E (M) 248.00' (M&R) ·5. LOCATION MAP (NOT TO SCALE) MORNING SIDE LOOF ·6./< ·*0-4 0. F.I.R Ø 1/2" (NO I.D.) МОКИІИС SIDE DR FOLIO # 070081-0000 BASIS OF BEARING (A) '00.0011 170.00'(R) F.I.R Ø 1/2" (NO I.D.) И00.00.29"E (M) 90.00' (С) 9 *10 MORNINGSIDE DR PUBLIC RICHT OF WAY 118 ASPHALT PAYEMENT

contact@gpsflorida.net

Received I HEREY CRETHY. THAT THA TOPOGRAPHIC SURVEY RESULTING THERE TROM WAS PERFORMED INDER WY PRECUTING THERE TON WAS PERFORMED INDER WY PROMISED TO THE BEST OF WY KNOWLEDGE AND BELLE AND FURTHER. THAT SAM TOPOGRAPHIC SINGE, WEETS THE INTENT OF THE WINNIMM TECHNICAL STANDARDS PLASUANT TO RULE 5-17 OF THE FLORIDA PURSUANT TO RULE 5-17 OF THE FLORIDA RULE, CHAPTER 472-277 OF THE FLORIDA STATUTES. NACCESSIBLE CORNERS WERE CALCULUTED USING BOUNDARY PRINCIPLES. APPRINCIAL MARKERS WILL BE PLACED AT OWNED SEQUEST AT THE EXACT LOCATION OF EACH PROPERTY CORNER, UNLESS FIELD CONDITIONA ARE NOT FAVORABLE. IN WHICH CASE. THE OWNED SHOULD GUARANTER ACCESS TO THE CORNERS SHOULD MOUNDARY AND WILL BE SET. WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MEASURED TO AN ESTIMATED HORIZONTAL POSITIONAL ACCURACY OF 1/10 FOOT UNLESS OTHERWISE SHOWN. BEARINGS AS SHOWN HEREON ARE BASED UPON AN ASSUMED VALUE OF NOUS95STE FOR THE EAST RIGHT OF WAY LINE OF MORNINGSIDE DR AS DEPICTED ON THE MAP OF SURVEY. ELECTRONC FILES REE VALID ONLY WITH THE DOLLARLY APPROVED SIGNAL THE ADDITION A PROPERSED SIGNALINE AND SEAL OF A FLORIDA LICENSED SIGNALINE AND MAPPERS AND DELENDES TO THEN MAP OF SIGNAL AND THE SIGNAL PARTY OF THE SIGNAL PARTY. THE SURVEYOR MAKES NO REPRESENTATION AS TO OWNERSHIP, POSSESSION OR OCCUPATION OF THE SUBJECT PROPERTY BY ANY ENTITY OR INDIVIDUAL. THIS MAP OF SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF THE ENTITIES NAMED HEREIN AND THE CERTIFICATION DOES NOT EXTEND TO ANY UNNAMED PARTY. 09-24-202 LEGAL DESCRIPTION SUBJECT TO ANY DEDICATIONS, LIMITATIONS, RESTRICTIONS, RESERVATIONS OR PROPERTY Ы DESCRIPTION WAS FURNISHED BY PHYSICAL COPIES ARE NOT VALID WITHOUT SIGNATURE AND ORIGINAL RAISED SEAL OF FLORIDA LICENSED SURVEYOR AND MAPF Development ENUCKUACHMENTS WITHIN, UPON, ABUTING OR ADJACENT TO THE PROPERTY WERE NOT LOCATED AND # SHOWN. FROM SURVEYOR AND IMPROVEMENTS NO TREES FOUND 20' AWAY UNLESS DEPICTED ON THIS MAP. COUSINS FLIPPING LLC YORDANI ALLEGUE SURVEYOR'S CERTIFICATION: RECORDED EASEMENTS. SUBSURFACE ENCROACHMENTS CERTIFY TO: LEGAL CLIENT. THE SOUTH 17 OF FOLLOWING BESCRIPTION TRACT BEGINNING 380.00 FETT WEST AND 20.00 FEET SOUTH OF THE NE CORNER OF THE SWI 14 OF THE NE H OF SECTION S. TOWNSHIP 29 SOUTH, RANGE 20 EAST, HILESPORCUGH COUNTY, FLORIDA AND RUN SOUTH A DISTANCE OF 180.00 FEET. THENCE EAST, A DISTANCE OF 187.30 FEET. THENCE NORTH A DISTANCE OF 187.30 FEET. THENCE A DISTANCE OF 187.30 FEET. THENCE WEST BEGINNING. TRECT EEGENWING 988 DO FEET WEST AND 220 00 FEET SOUTH OF THE NE COPRIGE OF THE SWI VIA OF THE NET A OF SECTION 25.1 TOWNSHIP 28 SOUTH AND EXECUTION 25.1 TOWNSHIP 28 SOUTH AND EXECUTION 25.1 TOWNSHIP 28.5 SOUTH AND RUN SOUTH. A DISTANCE OF 180.00 FEET. THENCE NORTH A DISTANCE OF 180.00 FEET. THENCE WEST. A DISTANCE OF 180.00 FEET. THENCE WEST. A DISTANCE OF 180.00 FEET. THENCE WEST. M THE ELEVATIONS OF WELL-IDENTIFIED FEATURES AS DEPICTED ON THIS SURVEY AND MAP WERE MASSURED TO AN ESTIMATED VERTICAL POSITIONAL ACCURACY OF 1/10 FOOT FOR NATURAL GROUND THERE MAY BE LEGAL RESTRETIONS ON THE SUBJECT PROPERTY THAT ARE NOT SHOWN ON THE MAP OF SUBJECT PROPERTY THE PUBLIC AND STATE OF HILLSBOROUGH COUNTY, OR THE RECORDS OF ANY OTHER PUBLIC AND PRIVATE THE MAP OF SURVEY IS INTENDED TO BE DISPLAYED AT THE STATED GRAPHIC SCALE IN ENGLISH UNITS OF MEASUREMENT, ATTENTION IS BROUGHT TO THE FACT THAT SAID DRAWING MAY BE ALTERED IN SCALE BY THE REPRODUCTION PROCESS. OF A TOPOGRAPHIC SURVEY ONLY AND IS NOT INTENDED TO DELINEATE THE REGULATORY UNISDICTION OF ANY FEDERAL, STATE, REGIONAL OR LOCAL AGENCY BOARD, COMMISSION OR OTHER SURFACES AND 1/100 FOOT FOR HARDSCAPE SURFACES, INCLUDING PAVEMENTS, CURBS AND OTHER MAN-MADE FEATURES AS MAY EXIST. BENCH MARK: GPS - NAIL ELEVATION: 72.17 FEET (NAVD88) THIS SURVEY WAS CONDUCTED FOR THE PURPOSE ų ENTITIES AS THEIR JURISDICTIONS MAY APPEAR. FLOOD ZONE INFORMATION: COMMUNITY: HILLSBOROUGH COUNTY - 120112 PROPOSED PARCEL "B" DESCRIPTION: 405 MORNINGSIDE DR, VALRICO, FL 33594 PROPERTY ADDRESS: SHEET 7 MAP/PANEL NO. 12057C0392H SUFFIX: H FIRM DATE: 08/28/2008 þ n CAR FLOOD ZONE: X JOB NO. DRAWN 7 SECTION 25, TOWNSHIP 29S, RANGE 20E. HILLSBOROUGH COUNTY 04/30/2025 ORIGINAL FIELD DATE REVISIONS: MANHOLE (SANITARY SEWER) FOUND OR SET MONUMENT **ABBREVIATIONS** F.N&D = FOUND NAIL & DISK CANOPY & TRUNK TREE F.I.R. = FOUND IRON ROD F.I.P = FOUND IRON PIPE PAVEMENT ELEVATION I.D = IDENTIFICATION F/C = FENCE CORNER B.M. = BENCHMARK PALM & TRUNK TREE PINE & TRUNK TREE GROUND ELEVATION PROPERTY CORNER S.I.R = SET IRON ROD PROFESSIONAL SURVEYOR AND MAPPER PHONE: (813) 423-3483 FAX: (813) 398-0111 www.gpsflorida.net BC=BLOCK CORNER PROPERTY LINE METER (WATER) (C)=CALCULATED P.B. = PLAT BOOK CATCH BASIN (M)=MEASURED (P)=PRORATED CENTER LINE UTILITY POLE TYP.= TYPICAL (R)=RECORD P.G. = PAGE GUY WIRE LEGEND A/C UNIT 0 •9. V_× **₽**₩₩® ⊞ д ≥ AC 0 F.I.P Ø 1/2" (NO I.D.) O/S / 0.30° S - 3.79° E 0 GLOBAL PROJECTS SURVEYING PINE Ø =10" S.I.R Ø 5/8" (LB8195) EOFIO # 010149-1580 200.15.3e.M (M) 30.00' (C) F.I.R Ø 1/2" (NO I.D.) 0000-080070 LOLIO# 160.00' (C) N00.15.39.E (M) 4 070081-5000 빌 OAK 4' HIGH CHAIN LINK FENCE # OITO # 4' HIGH CHAIN LINK FENCE SCALE: 1" = 30" .*. .*. ·9. ·6; M contact@gpsflorida.net RIVERVIEW, FL. 33578 L.B. 8195 - L.S. 6919 6528 U.S. 301 UNIT 106 ****** ·5/4 ·0. .0. 14. ACRES A PINE ₩Ø=9" 9 AREA = ±14,215 SQ FT ±0.32, FOLIO # 070082-0000 REMAINDER OF FOLIO # 070082-0000 VACANT LOT S89°24'35"W 157.92' (C) 757.80' (R) FOLIO # 070145-1280 ىرى_ك 89°24'35"E إ57.99' PART OF £15/x ð <. '\. ./¿× N89°32'10"E (M) 248.00' (M&R) FOLIO# 070080-0000 F.I.P Ø 1/2" (NO I.D.) SURVEY LOCATION MAP (NOT TO SCALE) ·s./~ 4' HIGH CHAIN LINK FENCE MORNING SIDE LOOF F.I.R Ø 1/2" (NO I.D.) МОКИІИС SIDE DK FOLIO # 070081-0000 OAK BASIS OF BEARING (M) 260.69"E (M) PROPOSED SORNER иоо。00.20.E (W) 20 00. (C) SITE HBM #1=72.17' SET NAIL ·50. S.I.R Ø 5/8" (LB8195) *S.L *00 MORNINGSIDE DR PUBLIC RIGHT OF WAY A SPHALT PAVENENT-








Application No: _	25-1452
Application No	



Project Description (Variance Request)

I.	In the space below describe the variance including any history and/or related facts that may be helpful in understanding the request. This explanation shall also specifically identify what is being requested (e.g. Variance of 10 feet from the required rear yard setback of 25 feet resulting in a rear yard of 15 feet). If additional space is needed, please attach extra pages to this application. We are asking for a variance from the Minimum Lot Sizes by Available Utilities. Specifically the
	requirement for 0.5 acres in order to have a septic system. We are asking to deviate from this because the sewer is around 1200 feet from our property and would cost us an unreasonable amount of money and time to bring to the property. Furthermore all of the nearby houses are on septic and many have under 0.5 acre. Specifically the house next door to this property was recently built within the past 5 years and has less than 0.5 acres and it has both septic and well. Our proposed septic and well for both homes is also well within code for distances from the property line, and other septic and wells. We will also be using an aerobic system which has a more minimal footprint than a non-aerobic system and more effectively diposes of wastewater.
2.	A Variance is requested from the following Section(s) of the Hillsborough County Land Development Code:
	Per the LDC Section 6.01.06 - Minimum Lot Sizes By Available Utilities, each lot needs to have at least .5 acres of uplands.
	Additional Information
1.	Have you been cited by Hillsborough County Code Enforcement? No Yes If yes, you must submit a copy of the Citation with this Application.
2.	Do you have any other applications filed with Hillsborough County that are related to the subject property?
	No If yes, please indicate the nature of the application and the case numbers assigned to the application (s):
3.	Is this a request for a wetland setback variance? No Yes If yes, you must complete the Wetland Setback Memorandum and all required information must be included with this Application Packet.
4.	
	Public Water ` Public Wastewater Private Well Septic Tank
5.	
	No Yes If yes, you must submit a final determination of the "Water, Wastewater, and/or Reclaimed Water – Service Application Conditional Approval – Reservation of Capacity" prior to your public hearing



Application No: 25-1452



Variance Criteria Response

1. Explain how the alleged hardships or practical difficulties are unique and singular to the subject property and are not those suffered in common with other property similarly located?

There are other properities located nearby with private well and septic with less than .5 acres and the neighboring house was constructed within the past fews years with private well and septic with less than .5 acres.

2. Describe how the literal requirements of the Land Development Code (LDC) would deprive you of rights commonly enjoyed by other properties in the same district and area under the terms of the LDC.

We would deprived of rights enjoyed by other properities because the neighboring houses all have septic and private well. In order for us to bring sewer, it would cost us upwards of hundreds of thousands of dollars because it is at 1300 feet of distance which is unreasonable the construction of two new homes.

3. Explain how the variance, if allowed, will not substantially interfere with or injure the rights of others whose property would be affected by allowance of the variance.

The variance, if allowed, will not interfere or injure the rights of others because all of our items are within compliance and is similar to the surrounding properities

4. Explain how the variance is in harmony with and serves the general intent and purpose of the LDC and the Comprehensive Plan (refer to Section 1.02.02 and 1.02.03 of the LDC for description of intent/purpose).


This deviation is in harmony and servies with the intent and purpose of the LDC and the Comprehensive Plan because the deviation is minor and it allows for reasonable use of this lot similar to the surrounding properities.

5. Explain how the situation sought to be relieved by the variance does not result from an illegal act or result from the actions of the applicant, resulting in a self-imposed hardship.

We have not inflicted any self-imposed hardship as we have not proceed with constructing anything yet, but we have already paid for blueprints. We are just looking for an approval to be able to continue with building these two homes.

6. Explain how allowing the variance will result in substantial justice being done, considering both the public benefits intended to be secured by the LDC and the individual hardships that will be suffered by a failure to grant a variance.

Allowing the variance will result in substantial justice because it allows this construction to proceed with the same benefits and privileges of the other nearby properities. This would also further increase the value of property in the area and provide two new homes. Failure to grant this variance would deprive this lot of the same privileges as the other homes.



Instrument #: 2025335875, Pg 1 of 2, 8/4/2025 11:27:17 AM DOC TAX PD(F.S. 201.02) \$0.70, INT. TAX PD (F.S. 199) \$0.00, DOC TAX PD (F.S. 201.08) \$0.00, Deputy Clerk: CLEWIS Victor D. Crist, Clerk of the Circuit Court Hillsborough County

PREPARED BY AND RETURN TO:

Name: Yordanis Allegue

Address: 611 Royal Crest Way,

Brandon, FL 33511

Parcel No.: U-25-29-20-ZZZ-000002-60390.0

Consideration: \$10.00

(Space Above This Line For Recording Data)

Quit Claim Deed

THIS QUIT-CLAIM DEED is made as of this 29th day of July 2025, by COUSINS FLIPPING, LLC, a Florida Limited Liability Company ("Grantor"), given to second party, YMY ELECTRIC, a Florida Limited Liability Company, whose post office address is 1110 Lithia Pinecrest Rd, Brandon, FL, 33511 ("Grantee").

WITNESSETH:

For good and valuable consideration to Grantor, the receipt whereof is hereby acknowledged, Grantor does hereby quit-claim, grant, bargain, sell, alien, remise, release and convey unto Grantee, its successors and assigns all of Grantor's right, title and interest in and to that certain property interest (the "Property") in **Hillsborough** County, Florida, as more particularly described as follows:

TRACT BEGINNING 368.00 FEET WEST AND 220.00 FEET SOUTH OF THE NE CORNER OF THE SW ¼ OF THE NE ¼ OF SECTION 25, TOWNSHIP 29 SOUTH, RANGE 20 EAST, HILLSBOROUGH COUNTY, FLORIDA AND RUN SOUTH, A DISTANCE OF 180.00 FEET; THENCE EAST, A DISTANCE OF 157.80 FEET; THENCE NORTH A DISTANCE OF 180.00 FEET; THENCE WEST, A DISTANCE OF 157.9 FEET TO THE POINT OF BEGINNING.

AKA: 405 Morningside Dr, Valrico, FL 33594

TOGETHER WITH all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

THE ABOVE-DESCRIBED PROPERTY IS NOT THE CONSTITUTIONAL HOMESTEAD OF THE GRANTORS, NOR IS IT CONTIGUOUS TO SUCH.

SUBJECT to taxes for 2025 and subsequent years, not yet due and payable; covenants, restrictions, easements, reservations and limitations of record, if any, without intention of creation or reimposing same.

TO HAVE AND TO HOLD the same in fee simple forever.

SIGNATURE PAGE TO FOLLOW

QUIT CLAIM DEED

IN WITNESS WHEREOF, the Grantor has caused this Quit-Claim Deed to be executed and delivered the day and year first above written.

Signed, sealed and delivered in the presence of:

WITNESS SIGNATURE

PRINT NAME: Alegandre Allegue
ADDRESS: 3512 Planview of

Brancon, FL 33511

WITNESS SIGNATURE

PRINT NAME: Anyi Garcia

ADDRESS: <u>8432 Duer Chase D</u> Kiverview, Fl 33578

STATE OF FLORIDA COUNTY OF HILLSBOROUGH GRANTOR: COUSINS FLIPPING, LLC

By: Miguel Allegue Manager Member

Address: 309 Glendale Dr, Brandon, FL 33511

Address 611 Royal Crest Way, Brandon, FL 33511

The foregoing instrument was acknowledged before me by means of (*) physical presence or () online notarization this 29th day of July, 2025 by Miguel Allegue and Yordanis Allegue, Manager Members of COUSINS FLIPPING, LLC, a Florida Limited Liability Company,

Signature of Notary Public Print, Type/Stamp Name of Notary

Type of Identification Produced:

Anyi Garcia Torrealba
Commission # HH 511677
Commission Expires 04-03-2028
Bonded Through - Cynanotary
Florida - Notary Public



Property/Applicant/Owner Information Form

Official Use Only

Application No: 25-1452	Intake Date: 09/24/2025
Hearing(s) and type: Date: 11/17/2025 Type: LUH	IO Receipt Number: 521298
Date: Type:	Intake Staff Signature: Julia Boatright
	Jacob D to San J
Property In	formation
Address: 405 Morningside Dr	City/State/Zip: Valrico, Florida 33594
TWN-RN-SEC: 29-20-25 Folio(s): 070082-0000 Zoning: RS	SC-6 Future Land Use: R-6 Property Size: 0.67 acres
Property Owne	er Information
Name: YMY Electric LLC	Daytime Phone 813-409-1584
Address: 1110 Lithia Pinecrest Rd Cit	by/State/Zip: Brandon, Florida 33511
vmvolootrio@amail.com	Fax Number
Applicant Ir	nformation
Name: Alejandro Allegue	Daytime Phone 813-409-1584
Address: 1110 Lithia Pinecrest Rd Cit	y/State/Zip: Brandon, Florida 33511
Email: ymyconstructiongroup@gm	ail.comFax Number
Applicant's Representative	e (if different than above)
Name:	Daytime Phone
Address:Cit	y/State/Zip:
Email:	Fax Number
I hereby swear or affirm that all the information	I hereby authorize the processing of this application
provided in the submitted application packet is true	and recognize that the final action taken on this
and accurate, to the best of my knowledge, and	petition shall be binding to the property as well as to
authorize the representative listed above to act on my behalf on this application.	the current and any future owners.
At 5	At The State of th
Signature of the Applicant	Signature of the Owner(s) – (All parties on the deed must sign)
Alejandro Allegue	YMY Electric LL.C (Alejandro Allegue)
Type or print name	Type or print name



Submittal Requirements for Applications Requiring Public Hearings

	Official Use Only	
	Type:	Intake Date: 09/24/2025 Receipt Number: 521298 Intake Staff Signature: Julia Boatright
Applicant/Representative: Alejandro Allegue		_Phone:813-409-1584
Representative's Email: ymyconstructiongro		

The following information is used by reviewing agencies for their comments and should remain constant, with very few exceptions, throughout the review process. Additional reviews, such as legal description accuracy, compatibility of uses, agency reviews, etc., will still be conducted separately and may require additional revisions.

The following ownership information must be provided and will verified upon submission initial submittal. If you are viewing this form electronically, you may click on each underlined item for additional information.

Part A: Property Information & Owner Authorization Requirements

Part	A: Prop	erty Info	rmation & Owner Authorization Requirements
	luded	N/A	Requirements
1	X		Property/Applicant/Owner Information Form
2	X		Affidavit(s) to Authorize Agent (if applicable) NOTE: All property owners must sign either the Application form or the Affidavit to Authorize Agent. If property is owned by a corporation, submit the Sunbiz information indicating that you are authorized to sign the application and/or affidavit.
3	X		Sunbiz Form (if applicable). This can be obtained at
4	X		<u>Property/Project Information Sheet</u> All information must be completed for each folio included in the request.
5	\boxtimes		Identification of Sensitive/Protected Information and Acknowledgement of Public Records
6	X		Copy of Current Recorded Deed(s)
7	X		Close Proximity Property Owners List
8	X		Legal Description for the subject site
9		X	Copy of Code Enforcement/Building Code Violation(s) (if applicable)
10		X	Fastrack Approval (if applicable)

Additional application-specific requirements are listed in Part B.



Specific Submittal Requirements for Variances

This section provides information on items that must be addressed/submitted for a Special use - Land Excavation permit and will be subsequently reviewed when the application is assigned to a planner. Where certain information does not apply to a project, a notation shall appear on the plan stating the reason, for example, "No existing water bodies within project." Additionally, the explanations and justifications for when certain information does not apply to the project shall be included in the Narrative. If Hillsborough County determines the submitted plan lacks required information, the application shall not proceed to hearing as provided for in Section 6.2.1.1.A. Additionally, the required information is only the minimum necessary to schedule an application for hearing and Hillsborough County reserves the right to request additional information during review of the application.

If you are viewing this form electronically, you may click on each underlined item for additional information.

For any items marked N/A, justification must be provided as to why the item is not included.

Part B: Project Information

1

2

	Additional Submittal Requirements for a Variance
\boxtimes	Project Description/Written Statement of the Variance Request

Variance Criteria Response

3 Attachment A (if applicable)

4 Survey/Site Plan

5 Supplemental Information (optional/if applicable)



PARCEL INFORMATION HILLSBOROUGH COUNTY FLORIDA

Jurisdiction	Unincorporated County
Zoning Category	Residential
Zoning	RSC-6
Description	Residential - Single-Family Conventional
Flood Zone:X	AREA OF MINIMAL FLOOD HAZARD
FIRM Panel	0392H
FIRM Panel	12057C0392H
Suffix	Н
Effective Date	Thu Aug 28 2008
Pre 2008 Flood Zone	Х
Pre 2008 Firm Panel	1201120395E
County Wide Planning Area	Valrico
Census Data	Tract: 013312 Block: 2000
Future Landuse	R-6
Urban Service Area	USA
Mobility Assessment District	Urban
Mobility Benefit District	2
Fire Impact Fee	Central
Parks/Schools Impact Fee	CENTRAL
ROW/Transportation Impact Fee	ZONE 7
Wind Borne Debris Area	Outside 140 MPH Area
Competitive Sites	NO
Redevelopment Area	NO



llisborough County Florida

Folio: 70082.0000
PIN: U-25-29-20-ZZZ-000002-60390.0
Ymy Electric Llc
Mailing Address:
1110 Lithia Pinecrest Rd
null
Brandon, Fl 33511-6714
Site Address:
405 Morningside Dr

Valrico, Fl 33594 SEC-TWN-RNG: 25-29-20 Acreage: 0.67

Market Value: \$238,373.00 Landuse Code: 0100 SINGLE FAMILY

Hillsborough County makes no warranty, representation or guaranty as to the content, sequence, accuracy, timeliness, or completeness of any of the geodata information provided herein. The reader should not rely on the data provided herein for any reason. Hillsborough County explicitly disclaims any representations and warranties, including, without limitations, the implied warranties of merchantability and fitness for a particular purpose. Hillsborough County shall assume no liability for:

1. Any error, omissions, or inaccuracies in the information provided regardless of how caused.

Or 2. Any decision made or action taken or not taken by any person in reliance upon any information or data furnished hereunder